ELSEVIER

Neuroscience Letters 361 (2004) 281–284

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 361

Affaitati, G., see Aloisi, A., 212
Alcalay, R.N., Giladi, E., Pick, C.G., Gozes, I., Intranasal administration of NAP, a neuroprotective peptide, decreases anxiety-like behavior in aging mice in the elevated plus maze, 128
Almási, R., see Szolcsányi, J., 155
Aloisi, A., Ceccarelli, I., Affaitati, G., Lerza, R., Vecchiet, L., Larenna, D., Giamberardino, M.A., c-Fos expression in the spinal cord of female rats with artificial ureteric calculosis, 212
Aloisi, A.M., Ceccarelli, I., Fiorenzani, P., De Padova, A.M., Massafra, C., Testosterone affects formalin-induced responses differently in male and female rats, 262
Antognini, J.F., Jinks, S.L., Carstens, E.E., Atherley, R.J., Preserved reticular neuronal activity during selective delivery of supra-clinical isoflurane concentrations to brain in goats and its association with spontaneous movement, 94
Atherley, R.J., see Antognini, J.F., 94
Aumann, T.D., Fetz, E.E., Oscillatory activity in forelimb muscles of behaving monkeys evoked by microstimulation in the cerebellar nuclei, 106

Bagaeva, T.V., see Podvigin, N.F., 83
Bandler, R., see Keay, K.A., 188
Bär, K.-J., Schaible, H.-G., Bräuer, R., Halbhuber, K.-J., von Banchet, G.S., The proportion of TRPV1 protein-positive lumbar DRG neurones does not increase in the course of acute and chronic antigen-induced arthritis in the knee joint of the rat, 172
Bergstrom, L., see Jansone, B., 68
Bernatzky, G., Bernatzky, P., Hesse, H.-P., Staffen, W., Ladurner, G., Stimulating music increases motor coordination in patients afflicted with Morbus Parkinson, 4
Bernatzky, P., see Bernatzky, G., 4
Binkofski, F., see Helmchen, C., 237
Birbaumer, N., see Flor, H., 147
Bissonnette, C.J., Klegeris, A., McGeer, P.L., McGeer, E.G., Interleukin 1α and interleukin 6 protect human neuronal SH-SY5Y cells from oxidative damage, 40
Bölcskei, K., see Szolcsányi, J., 155
Bouhelal, R., see Hoyer, D., 132
Bouhy, D., see Franzen, R., 76
Bowery, N.G., see Dang, K., 72
Boykova, E.V., see Podvigin, N.F., 83
Bräuer, R., see Bär, K.-J., 172
Brain, S.D., see Keeble, J.E., 176
Bromm, B., The involvement of the posterior cingulate gyrus in phasic pain processing of humans, 245
Burke, W., Leg length inequality in humans: a new neurophysiological approach, 29

Carstens, E., see Nojima, H., 79
Carstens, E., Westerman, R., Manfred Zimmermann's contributions to pain research and therapy, 1
Carstens, E.E., see Antognini, J.F., 94
Carstens, M.I., see Nojima, H., 79
Ceccarelli, I., see Aloisi, A., 212
Ceccarelli, I., see Aloisi, A.M., 262
Cervero, F., see Laird, J.M.A., 200
Chávez, D., see García, C.A., 102
Cheung, Z.H., Ip, N.Y., Cdk5: mediator of neuronal death and survival, 47
Corner, M.A., see Van Pelt, J., 86
Corte, L.D., see Rosi, S., 120
Craighero, L., see Fadiga, L., 250
Cruccu, G., see Truini, A., 25
Cuellar, J.M., see Nojima, H., 79
Czéh, G., see Szolcsányi, J., 155

Daffertshofer, M., Huang, Z., Fatar, M., Popolo, M., Schroeck, H., Kuschinsky, W., Moskowitz, M.A., Hennerici, M.G., Efficacy of sonothrombolysis in a rat model of embolic ischemic stroke, 115
Dang, K., Bowery, N.G., Urban, L., Interaction of γ-aminobutyric acid receptor type B receptors and calcium channels in nociceptive transmission studied in the mouse hemisected spinal cord in vitro: withdrawal symptoms related to baclofen treatment, 72
De Padova, A.M., see Aloisi, A.M., 262
Delpire, E.J., see Laird, J.M.A., 200
Destro, M.F., see Fadiga, L., 250
Dickenson, A.H., see Rahman, W., 229
Diers, M., see Flor, H., 147
Dri, G., see Fadiga, L., 250
Dux, M., see Jancsó, G., 204

Elde, R., see Stone, L.S., 208
Erdmann, C., see Helmchen, C., 237
Essig, M., see Pantel, J., 17

Facchin, P., see Fadiga, L., 250
Fadiga, L., Craighero, L., Dri, G., Facchin, P., Destro, M.F., Porro, C.A., Corticospinal excitability during painful self-stimulation in humans: a transcranial magnetic stimulation study, 250
Fatar, M., see Daffertshofer, M., 115
Fetz, E.E., see Aumann, T.D., 106
Feuerbach, D., see Hoyer, D., 132
Fiorenzani, P., see Aloisi, A.M., 262
Flor, H., Diers, M., Birbaumer, N., Peripheral and electrocortical responses to painful and non-painful stimulation in chronic pain patients, tension headache patients and healthy controls, 147
Franzen, R., Bouhy, D., Schoenen, J., Nervous system injury: focus on the inflammatory cytokine 'granulocyte-macrophage colony stimulating factor', 76

Galeotti, F., see Truini, A., 25

doi:10.1016/S0304-3940(04)00433-1

Galik, J., see Park, Y.-K., 220
García, C.A., Chávez, D., Jiménez, I., Rudomin, P., Effects of spinal and peripheral nerve lesions on the intersegmental synchronization of the spontaneous activity of dorsal horn neurons in the cat lumbosacral spinal cord, 102
García-Nicas, E., see Laird, J.M.A., 200
Giamberardino, M.A., see Aloisi, A., 212
Gibson, S.J., see Helme, R.D., 144
Giladi, E., see Alcalay, R.N., 128
Giovannini, M.G., see Rosi, S., 120
Gozes, I., see Alcalay, R.N., 128
Grebenyuk, S.E., Lozovaya, N.A., Tsintsadze, T.S., Krishtal, O.A., Post-synaptic *N*-methyl-D-aspartate signalling in hippocampal neurons of rat: spillover increases the impact of each spike in a short burst discharge, 60

Haberberger, R.V., see Papadopolou, S., 32
Hajos, G., see Szolcsányi, J., 155
Halbhuber, K.-J., see Bär, K.-J., 172
Halliday, G., see Kril, J.J., 9
Hallner, D., Hasenbring, M., Classification of psychosocial risk factors (yellow flags) for the development of chronic low back and leg pain using artificial neural network, 151
Han, J.-S., Acupuncture and endorphins, 258
Han, J.S., Neugebauer, V., Synaptic plasticity in the amygdala in a visceral pain model in rats, 254
Handwerker, H.O., see Schlegel, T., 163
Hannon, J., see Hoyer, D., 132
Hanson, E.N., see Miletic, G., 269
Harding, R., see Rees, S., 111
Hartmann, P., see Papadopolou, S., 32
Hasenbring, M., see Hallner, D., 151
Helmchen, C., Mohr, C., Erdmann, C., Binkofski, F., Cerebellar neural responses related to actively and passively applied noxious thermal stimulation in human subjects: a parametric fMRI study, 237
Helme, R.D., Meliala, A., Gibson, S.J., Methodologic factors which contribute to variations in experimental pain threshold reported for older people, 144
Hendry, I.A., see Zhao, Z.-Q., 216
Hennerici, M.G., see Daffertshofer, M., 115
Herdegen, T., see Waetzig, V., 64
Hesse, H.-P., see Bernatzky, G., 4
Hocking, B., see Westerman, R., 13
Hodges, J., see Kril, J.J., 9
Hoheisel, U., see Tenschert, S., 196
Holzer, P., Opioids and opioid receptors in the enteric nervous system: from a problem in opioid analgesia to a possible new prokinetic therapy in humans, 192
Hoyer, D., Nunn, C., Hannon, J., Schoeffter, P., Feuerbach, D., Schuepbach, E., Langenegger, D., Bouhelal, R., Hurth, K., Neumann, P., Troxler, T., Pfaeffli, P., SRA880, in vitro characterization of the first non-peptide somatostatin sst_1 receptor antagonist, 132
Huang, Z., see Daffertshofer, M., 115
Hurth, K., see Hoyer, D., 132

Iannetti, G.D., see Truini, A., 25
Ip, N.Y., see Cheung, Z.H., 47

Jancsó, G., Sántha, P., Szigeti, C., Dux, M., Selective C-fiber deafferentation of the spinal dorsal horn prevents lesion-induced transganglionic transport of choleragenoid to the substantia gelatinosa in the rat, 204
Jansone, B., Bergstrom, L., Svirskis, S., Lindblom, J., Klusa, V., Wikberg, J.E.S., Opposite effects of γ_1- and γ_2-melanocyte stimulating hormone on regulation of the dopaminergic mesolimbic system in rats, 68
Jiménez, I., see García, C.A., 102
Jinks, S.L., see Antognini, J.F., 94

Kawai, N., Konno, K., Molecular determinants of two neurotoxins that regulate sodium current inactivation in rat hippocampal neurons, 44
Keay, K.A., Monassi, C.R., Levison, D.B., Bandler, R., Peripheral nerve injury evokes disabilities and sensory dysfunction in a subpopulation of rats: a closer model to human chronic neuropathic pain?, 188
Keeble, J.E., Brain, S.D., A role for substance P in arthritis?, 176
Kim, B.M., Lee, S.H., Shim, W.S., Oh, U., Histamine-induced Ca^{2+} influx via the PLA_2/lipoxygenase/TRPV1 pathway in rat sensory neurons, 159
Klegeris, A., see Bissonnette, C.J., 40
Klusa, V., see Jansone, B., 68
Koerner, C., Meinck, H.-M., Long-lasting motor cortex disinhibition after short transient ischemic attacks (TIAs) in humans, 21
Konno, K., see Kawai, N., 44
Kress, M., see Sommer, C., 184
Krieglstein, K., see Roussa, E., 52
Kril, J.J., Hodges, J., Halliday, G., Relationship between hippocampal volume and CA1 neuron loss in brains of humans with and without Alzheimer's disease, 9
Krishtal, O.A., see Grebenyuk, S.E., 60
Kummer, W., see Papadopolou, S., 32
Kuschinsky, W., see Daffertshofer, M., 115

Lacey, G., see Zhao, Z.-Q., 216
Ladurner, G., see Bernatzky, G., 4
Laird, J.M.A., García-Nicas, E., Delpire, E.J., Cervero, F., Presynaptic inhibition and spinal pain processing in mice: a possible role of the NKCC1 cation-chloride co-transporter in hyperalgesia, 200
Langenegger, D., see Hoyer, D., 132
Lappi, D.A., see Yezierski, R.P., 232
Larenna, D., see Aloisi, A., 212
Lee, S.H., see Kim, B.M., 159
Lerza, R., see Aloisi, A., 212
Lestage, P.J., see Rosi, S., 120
Levison, D.B., see Keay, K.A., 188
Liang, Y.Q., Tang, X.C., Comparative effects of huperzine A, donepezil and rivastigmine on cortical acetylcholine level and acetylcholinesterase activity in rats, 56
Lindblom, J., see Jansone, B., 68
Lips, K.S., see Papadopolou, S., 32
Lozovaya, N.A., see Grebenyuk, S.E., 60

Magerl, W., Treede, R.-D., Secondary tactile hypoesthesia: a novel type of pain-induced somatosensory plasticity in human subjects, 136
Manisali, A., Selective bibliography of Manfred Zimmermann 1960–2004, 272
Mantyh, P.W., see Yezierski, R.P., 232
Martikainen, I.K., Närhi, M.V., Pertovaara, A., Spatial integration of cold pressor pain sensation in humans, 140
Massafra, C., see Aloisi, A.M., 262
McGeer, E.G., see Bissonnette, C.J., 40
McGeer, P.L., see Bissonnette, C.J., 40
Meinck, H.-M., see Koerner, C., 21
Meliala, A., see Helme, R.D., 144
Mendell, L.M., see Petruska, J.C., 168

Mense, S., see Tenschert, S., 196
Miletic, G., Hanson, E.N., Miletic, V., Brain-derived neurotrophic factor-elicited or sciatic ligation-associated phosphorylation of cyclic AMP response element binding protein in the rat spinal dorsal horn is reduced by block of tyrosine kinase receptors, 269
Miletic, V., see Miletic, G., 269
Mohr, C., see Helmchen, C., 237
Monassi, C.R., see Keay, K.A., 188
Morton, C.R., see Zhao, Z.-Q., 216
Moskowitz, M.A., see Daffertshofer, M., 115
Mouraux, A., Plaghki, L., Single-trial detection of human brain responses evoked by laser activation of Aδ-nociceptors using the wavelet transform of EEG epochs, 241
Muñoz, C., see Rosi, S., 120

Närhi, M.V., see Martikainen, I.K., 140
Neugebauer, V., see Han, J.S., 254
Neumann, P., see Hoyer, D., 132
Nojima, H., Cuellar, J.M., Simons, C.T., Carstens, M.I., Carstens, E., Spinal *c-fos* expression associated with spontaneous biting in a mouse model of dry skin pruritus, 79
Nunn, C., see Hoyer, D., 132

Oh, U., see Kim, B.M., 159

Pöppel, E., see Podvigin, N.F., 83
Pantel, J., Schönknecht, P., Essig, M., Schröder, J., Distribution of cerebral atrophy assessed by magnetic resonance imaging reflects patterns of neuropsychological deficits in Alzheimer's dementia, 17
Papadopolou, S., Hartmann, P., Lips, K.S., Kummer, W., Haberberger, R.V., Nicotinic receptor mediated stimulation of NO-generation in neurons of rat thoracic dorsal root ganglia, 32
Park, Y.-K., Galik, J., Ryu, P.D., Randic, M., Activation of presynaptic group I metabotropic glutamate receptors enhances glutamate release in the rat spinal cord substantia gelatinosa, 220
Pawlak, M., Schmidt, R.F., Octreotide, a somatostatin analogue, attenuates movement evoked discharges of fine afferent units from inflamed knee joints of rats, 180
Pepeu, G., see Rosi, S., 120
Pertovaara, A., see Martikainen, I.K., 140
Pethő, G., see Szolcsányi, J., 155
Petruska, J.C., Mendell, L.M., The many functions of nerve growth factor: multiple actions on nociceptors, 168
Pfaeffli, P., see Hoyer, D., 132
Pick, C.G., see Alcalay, R.N., 128
Plaghki, L., see Mouraux, A., 241
Podvigin, N.F., Bagaeva, T.V., Boykova, E.V., Zargarov, A.A., Podvigina, D.N., Pöppel, E., Three bands of oscillatory activity in the lateral geniculate nucleus of the cat visual system, 83
Podvigina, D.N., see Podvigin, N.F., 83
Popolo, M., see Daffertshofer, M., 115
Porro, C.A., see Fadiga, L., 250

Rahman, W., Suzuki, R., Rygh, L.J., Dickenson, A.H., Descending serotonergic facilitation mediated through rat spinal 5HT3 receptors is unaltered following carrageenan inflammation, 229
Ramakers, G.J.A., see Van Pelt, J., 86
Randic, M., see Park, Y.-K., 220
Reeh, P.W., see Schlegel, T., 163
Rees, S., Harding, R., Brain development during fetal life: influences of the intra-uterine environment, 111
Reinert, A., see Tenschert, S., 196
Riedl, M.S., see Stone, L.S., 208
Riedl, Z., see Szolcsányi, J., 155
Romaniello, A., see Truini, A., 25
Rosi, S., Giovannini, M.G., Lestage, P.J., Muñoz, C., Corte, L.D., Pepeu, G., S 18986, a positive modulator of AMPA receptors with cognition-enhancing properties, increases ACh release in the hippocampus of young and aged rat, 120
Roussa, E., Krieglstein, K., GDNF promotes neuronal differentiation and dopaminergic development of mouse mesencephalic neurospheres, 52
Rowe, M., Multiple representation of sensory system input in the cerebral cortex:the new phrenology?, 98
Rudomin, P., see García, C.A., 102
Rutten, W.L.C., see Van Pelt, J., 86
Rygh, L.J., see Rahman, W., 229
Ryu, P.D., see Park, Y.-K., 220

Sándor, Z., see Szolcsányi, J., 155
Sántha, P., see Jancsó, G., 204
Sato, A., Sato, Y., Uchida, S., Activation of the intracerebral cholinergic nerve fibers originating in the basal forebrain increases regional cerebral blood flow in the rat's cortex and hippocampus, 90
Sato, Y., see Sato, A., 90
Sauer, S.K., see Schlegel, T., 163
Schönknecht, P., see Pantel, J., 17
Schaible, H.-G., see Bär, K.-J., 172
Schenkel, J., Activation of the c-Jun transcription factor following neurodegeneration in vivo, 36
Schlegel, T., Sauer, S.K., Handwerker, H.O., Reeh, P.W., Responsiveness of C-fiber nociceptors to punctate force-controlled stimuli in isolated rat skin: lack of modulation by inflammatory mediators and flurbiprofen, 163
Schmidt, R.F., see Pawlak, M., 180
Schoeffter, P., see Hoyer, D., 132
Schoenen, J., see Franzen, R., 76
Schröder, J., see Pantel, J., 17
Schroeck, H., see Daffertshofer, M., 115
Schuepbach, E., see Hoyer, D., 132
Shim, W.S., see Kim, B.M., 159
Simons, C.T., see Nojima, H., 79
Sommer, C., Kress, M., Recent findings on how proinflammatory cytokines cause pain: peripheral mechanisms in inflammatory and neuropathic hyperalgesia, 184
Staffen, W., see Bernatzky, G., 4
Stone, L.S., Vulchanova, L., Riedl, M.S., Williams, F.G., Wilcox, G.L., Elde, R., Effects of peripheral nerve injury on delta opioid receptor (DOR) immunoreactivity in the rat spinal cord, 208
Stone, L.S., Wilcox, G.L., Alpha-2-adrenergic and opioid receptor additivity in rat locuscoeruleus neurons, 265
Suzuki, R., see Rahman, W., 229
Svirskis, S., see Jansone, B., 68
Szigeti, C., see Jancsó, G., 204
Szolcsányi, J., Sándor, Z., Pethő, G., Varga, A., Bölcskei, K., Almási, R., Riedl, Z., Hajos, G., Czéh, G., Direct evidence for activation and desensitization of the capsaicin receptor by *N*-oleoyldopamine on TRPV1-transfected cell, line in gene deleted mice and in the rat, 155

Tang, X.C., see Liang, Y.Q., 56

Tenschert, S., Reinert, A., Hoheisel, U., Mense, S., Effects of a chronic myositis on structural and functional features of spinal astrocytes in the rat, 196
Treede, R.-D., see Magerl, W., 136
Troxler, T., see Hoyer, D., 132
Truini, A., Romaniello, A., Galeotti, F., Iannetti, G.D., Cruccu, G., Laser evoked potentials for assessing sensory neuropathy in human patients, 25
Tsintsadze, T.S., see Grebenyuk, S.E., 60

Uchida, S., see Sato, A., 90
Urban, L., see Dang, K., 72

van Leeuwen, F.W., Neuropeptide research discloses part of the secrets of Alzheimer's disease neuropathogenesis: state of the art 2004, 124
Van Pelt, J., Corner, M.A., Wolters, P.S., Rutten, W.L.C., Ramakers, G.J.A., Longterm stability and developmental changes in spontaneous network burst firing patterns in dissociated rat cerebral cortex cell cultures on multielectrode arrays, 86
Vanegas, H., To the descending pain-control system in rats, inflammation-induced primary and secondary hyperalgesia are two different things, 225
Varga, A., see Szolcsányi, J., 155
Vecchiet, L., see Aloisi, A., 212
Vierck, C.J., see Yezierski, R.P., 232
von Banchet, G.S., see Bär, K.-J., 172
Vulchanova, L., see Stone, L.S., 208
Waetzig, V., Herdegen, T., Neurodegenerative and physiological actions of c-Jun N-terminal kinases in the mammalian brain, 64
Waxman, S.G., Receiving the baton: a tribute to Manfred Zimmermann, 3
Westerman, R., Hocking, B., Diseases of modern living: neurological changes associated with mobile phones and radiofrequency radiation in humans, 13
Westerman, R., see Carstens, E., 1
Wikberg, J.E.S., see Jansone, B., 68
Wilcox, G.L., see Stone, L.S., 208
Wilcox, G.L., see Stone, L.S., 265
Williams, F.G., see Stone, L.S., 208
Wolters, P.S., see Van Pelt, J., 86

Yezierski, R.P., Yu, C.-G., Mantyh, P.W., Vierck, C.J., Lappi, D.A., Spinal neurons involved in the generation of at-level pain following spinal injury in the rat, 232
Yu, C.-G., see Yezierski, R.P., 232

Zargarov, A.A., see Podvigin, N.F., 83
Zhao, Z.-Q., Lacey, G., Hendry, I.A., Morton, C.R., Substance P release in the cat spinal cord upon afferent C-fibre stimulation is not attenuated by clonidine at analgesic doses, 216